

# Quantitation of Buprenorphine

## Hydrolysis with Finden BGTurbo® Enzyme

Finden, from Kura Biotech

### Overview

Buprenorphine is a semi-synthetic Opioid derived from Thebaine, an alkaloid of the Poppy *Papaver somniferum*. It is an opioid partial agonist, and thus can produce typical Opioid and side effects, its maximal effects are less than those of full agonists like Heroin and Methadone. At low doses Buprenorphine produces sufficient agonist effect to enable opioid-addicted individuals to discontinue the misuse of Opioids without experiencing withdrawal symptoms.

In 2002, the Food and Drug Administration (FDA) approved a mix of Buprenorphine and Naloxone for the treatment of Opioids dependence in primary care settings. Accordingly, it is frequently needed to evaluate the presence of Buprenorphine, its major metabolite Norbuprenorphine and Naloxone together in urine samples.

Genetically enhanced Kura BGTurbo® enzyme provides an efficient hydrolytic activity for the broad spectrum of conjugated analytes. Based on its specific affinity with “hard-to-cleave” glucuronides and its purity, BGTurbo® delivers optimum conditions for a complete and fast recovery of analytes being compatible with D&S methods due to its purity, without needing additional clean-up steps, or hydrolysis can be performed directly on Tip on Tip technology as well as filter plates being integrated into the sample prep, or using a Support Liquid Extraction.

### Compatible Methods

**Dilute & Shoot:** This method is simple to implement and cost-effective. However, an additional clean-up step, like a protein crash followed by centrifuging, is often applied to eliminate the protein load added by traditional  $\beta$ -glucuronidase preparations. In practice, achieving desired sensitivity and reproducibility can be challenging. BGTurbo® presents very high glucuronidase activity at very low concentrations of enzyme, becoming compatible with D&S method, avoiding column clogging and interfering peak formation.

**Solid Phase Extraction and Supported Liquid Extraction:** These techniques are designed for rapid and selective sample preparation and purification prior to chromatographic analysis. During the last years, these techniques have been simplified on Automated Liquid Dispensers (ALD's). However, hydrolysis, which is upstream of extraction, has been treated separately as an off-line manual process. BGTurbo® solves this bottleneck, not only does it provide flash hydrolysis but enables it to integrate and run hydrolysis directly on SPE/SLE plates in line with the extraction and LC-MS process, becoming a fully integrated sample preparation.

## Objectives

- Optimize sample preparation, by reducing hydrolysis time down to 10 minutes.
- Simplify and potentially automate workflow.
- Hydrolysis recovery target >90% at ULOQ 2,500 ng/mL.
- Keep low added background-noise using chromatographically purified  $\beta$ -glucuronidase.
- Maintain a low protein-content enabling D&S/SPE/SLE without column clogging..
- This highly purified enzyme doesn't need post hydrolysis clean-up.

## BGTurbo® Hydrolysis Protocol

1. Optional: Centrifuge urine sample for 5 minutes at 4°C at 20,000 x g.
2. With a pipette, add 50  $\mu$ L of urine sample to plate or column.
3. Add Instant Buffer I + BGTurbo® + ISDs + distilled water to the urine sample according to Table 1.
4. Mix by slowly inverting a capped test tube. If an automated pipetting station is used mixing can be done by repeating aspirate/dispense actions.
5. Incubate at 50°C / 20°C for 10/30 minutes.
6. Proceed with the preferred extraction method.

**Table 1.** Hydrolysis Mix Composition

Compound	10 minutes	30 minutes
	Volume ( $\mu$ L)	Volume ( $\mu$ L)
Urine	50	50
Instant Buffer I	20	20
<b>BGTurbo Enzyme</b>	<b>20</b>	<b>50</b>
Distilled Water	45	45
Internal Standards (50% - 100% MeOH)	15	15
Total	150	180
<b>Incubation</b>	<b>50°C</b>	<b>20°C</b>

## Notes

- The protocol above is based on an initial volume of 50 µL of urine. The mix could be adapted to any required urine volume by keeping the given proportions.
- It's important to keep a minimum enzyme: urine ratio of 2:5 / 1:1 in order to achieve expected recoveries within 10/30 minutes, in spiked urine and mainly in authentic specimens.
- BGTurbo® is active from 0-20% MeOH but is optimal from 5 to 15% in the total hydrolysis mix.
- Mastermix containing Instant Buffer I, enzyme, DI-water and ISDs can be prepared to simplify workflow. Store at 2-8°C. Use within 14 days.

## Testing & Validation

**Table 2.** Hydrolysis Control

Drug-Class	Recommended Hydrolysis Control (2,500 ng/mL of parent drug)
Opioid	Norbuprenorphine-3-Glucuronide

- Kura Biotech recommends performing validation in two steps:
  1. Run assay with spiked urine, using the hydrolysis controls mentioned above.
  2. Benchmark with authentic specimens.

## Learn More

- BGTurbo® Datasheet
- Quick Start Guide BGTurbo®

## References

1. Da Silva, K; Kwan, R; Rabbia, V et al. Poster Streamlining Sample Preparation with Second Generation Enzymes. Presented at Society of Forensic Toxicology Conference, Inc.2016.
2. J. F. Emory, N. Bianchini, et al. Complete Integration of a Fully Automated Flash Hydrolysis Protocol of Glucuronides in Urine with LC-MS/MS Quantification. Presented by Shimadzu at the American Society for Mass Spectrometry 2018.
3. C. Pierre, C. Gineste, et al. Poster Incomplete Hydrolysis of Midazolam-Glucuronide can cause false negatives on Urine Drug Confirmation by Liquid Chromatography Tandem Mass Spectrometry. Presented at Mass Spectrometry Application to the Clinical Lab 2019.
4. R. Peralta, R. Caroca, et al. Poster Hydrolysis Efficiency Comparison of Two Beta-Glucuronidases BG100® and BGTurbo®. Presented at Society of Forensic Toxicology Conference 2017.
5. Kura Biotech; Poster Catalyze Complete Hydrolysis of All Glucuronides in only 10 Minutes with BGTurbo®.
6. ElSohly Laboratories, Inc. 2016. Evaluation realized for Kura Biotech®. BGTurbo® glucuronidase evaluation for the hydrolysis of morphine-3-Glucuronide and codeine-6-Glucuronide at different concentrations at 10 minutes and comparison with EBG and IMCSzyme at different incubation times.
7. A. Shellinger, P. Carr. 2004. Solubility of Buffers in Aqueous–Organic Effluents for Reversed-Phase Liquid Chromatography.

## PRECAUTIONS AND DISCLAIMER

This document is for R&D use only, not for use in diagnostic procedures. Please consult the Safety Data Sheet (SDS) for information regarding hazards and safe handling practices.

## CONTACT AND SUPPORT

To ask questions, solve problems, suggest protocol or product enhancements or report new applications, please contact us at [www.kurabiotech.com](http://www.kurabiotech.com) or email us at [help@kurabiotech.com](mailto:help@kurabiotech.com).

## PATENTS & TRADEMARKS

Kura Biotech®, Finden®, Finden Kura®, B-One®, BGTurbo® and BG100® are registered trademarks of Kura Biotech SpA in Chile and in the USA.

EBG™, BAMf™, BG2.5™, ASPC™, BGS™, Instant Buffer I™ and Instant Buffer II™ are trademarks of Kura Biotech SpA in Chile and in the USA.

U.S. Patent Nos. 20180067116 and 202117324067 are still pending. United Kingdom Patent Nos.GB2553142 patent are granted.

©2020 The copyright to this document is owned by Kura Biotech S.p.A. – Kura Biotech®. No part of this document may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without their prior permission